




INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

(51) International Patent Classification ⁶ : G06F 17/60	A1	(11) International Publication Number: WO 99/66435 (43) International Publication Date: 23 December 1999 (23.12.99)
(21) International Application Number: PCT/DK99/00328 (22) International Filing Date: 15 June 1999 (15.06.99) (30) Priority Data: PA 1998 00786 15 June 1998 (15.06.98) DK (71) Applicant (for all designated States except US): MALMIK APS [DK/DK]; Strandvejen 126, DK-8000 Århus C (DK). (72) Inventor; and (75) Inventor/Applicant (for US only): JOHANSEN, Peter [DK/DK]; Strandvejen 126, DK-8000 Århus C (DK). (74) Agent: K. SKØTT-JENSEN PATENTINGENIØRER A/S; Lemmingvej 225, DK-8361 Hasselager (DK).		(81) Designated States: AE, AL, AM, AT, AT (Utility model), AU, AZ, BA, BB, BG, BR, BY, CA, CH, CN, CU, CZ, CZ (Utility model), DE, DE (Utility model), DK, DK (Utility model), EE, EE (Utility model), ES, FI, FI (Utility model), GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MD, MG, MK, MN, MW, MX, NO, NZ, PL, PT, RO, RU, SD, SE, SG, SI, SK, SK (Utility model), SL, TJ, TM, TR, TT, UA, UG, US, UZ, VN, YU, ZA, ZW, ARIPO patent (GH, GM, KE, LS, MW, SD, SL, SZ, UG, ZW), Eurasian patent (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European patent (AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE), OAPI patent (BF, BJ, CF, CG, CI, CM, GA, GN, GW, ML, MR, NE, SN, TD, TG). Published With international search report. Before the expiration of the time limit for amending the claims and to be republished in the event of the receipt of amendments. In English translation (filed in Danish).

(54) Title: ENTERTAINMENT AND INFORMATION SYSTEM FOR DOMESTIC USE



(57) Abstract

While it is well known that from a central signal source such as a radio or CD player the relevant signals can be transmitted for reproduction in the individual building rooms, the invention proposes to use a central multisignal source such as an ordinary PC which on its harddisc may hold many different signal sequences which in a selective manner can be sent for reproduction in the individual rooms. The signal source may also be connected with actually operating radio or video sources, telephone network or internet for selective reproduction in the various rooms. Moreover, the system may comprise priority giving, portable transmitters which, on arrival in the single rooms, will actuate a receiver for achieving a reproduction of signals of a type corresponding to the choice of the higher priority. These transmitters may be housed in remote control units for two-way communication with constitute telephone handsets and units for reception and transmission of E-mail.

FOR THE PURPOSES OF INFORMATION ONLY

Codes used to identify States party to the PCT on the front pages of pamphlets publishing international applications under the PCT.

AL	Albania	ES	Spain	LS	Lesotho	SI	Slovenia
AM	Armenia	FI	Finland	LT	Lithuania	SK	Slovakia
AT	Austria	FR	France	LU	Luxembourg	SN	Senegal
AU	Australia	GA	Gabon	LV	Latvia	SZ	Swaziland
AZ	Azerbaijan	GB	United Kingdom	MC	Monaco	TD	Chad
BA	Bosnia and Herzegovina	GE	Georgia	MD	Republic of Moldova	TG	Togo
BB	Barbados	GH	Ghana	MG	Madagascar	TJ	Tajikistan
BE	Belgium	GN	Guinea	MK	The former Yugoslav Republic of Macedonia	TM	Turkmenistan
BF	Burkina Faso	GR	Greece	ML	Mali	TR	Turkey
BG	Bulgaria	HU	Hungary	MN	Mongolia	TT	Trinidad and Tobago
BJ	Benin	IE	Ireland	MR	Mauritania	UA	Ukraine
BR	Brazil	IL	Israel	MW	Malawi	UG	Uganda
BY	Belarus	IS	Iceland	MX	Mexico	US	United States of America
CA	Canada	IT	Italy	NE	Niger	UZ	Uzbekistan
CF	Central African Republic	JP	Japan	NL	Netherlands	VN	Viet Nam
CG	Congo	KE	Kenya	NO	Norway	YU	Yugoslavia
CH	Switzerland	KG	Kyrgyzstan	NZ	New Zealand	ZW	Zimbabwe
CI	Côte d'Ivoire	KP	Democratic People's Republic of Korea	PL	Poland		
CM	Cameroon	KR	Republic of Korea	PT	Portugal		
CN	China	KZ	Kazakhstan	RO	Romania		
CU	Cuba	LC	Saint Lucia	RU	Russian Federation		
CZ	Czech Republic	LI	Liechtenstein	SD	Sudan		
DE	Germany	LK	Sri Lanka	SE	Sweden		
DK	Denmark	LR	Liberia	SG	Singapore		
EE	Estonia						

Entertainment and information system for domestic use.

The present invention concerns an entertainment and information system, primarily for use in individual households. It is already known that with the use of a central radio receiving system or diverse systems for the play-back of sound carriers, it is possible in a selective manner to distribute the sound out to sound transducers in the various rooms in the house, in that an activation or de-activation or a changeover of the transducer channel can be effected in the individual rooms.

The object of the invention is to provide a system of this type, but which distinguishes itself by comprehensive extension of the function possibilities. The system according to the invention is based on the use of more-or-less ordinary PCs as the central system, i.e. a relatively inexpensive unit which on its hard disk can be programmed with a large number of data sequences, such as pieces of music on or from recorded sound carriers, e.g. in the form of tape or compact disks. By means of suitable interface equipment and a list of access codes drawn up for the various sequences, it will hereby be possible to select any desired sequence or even a series of sequences of a predetermined type from any room in the house. For example, a senior member of the household in his/her local area can hereby select one or a whole series of desired classical music sequences, while a junior member at the same time and in another room can select his/her preferred, more modern music from the same central unit. It is hereby important that it is the household's own members who have originally selected the recorded sequences, so that the central unit is not loaded with irrelevant recordings.

In this connection it should be mentioned that from e.g. US-A-5,497,502 and GB-A-2,166,328, it is known to ar-

range the connection of "household subscribers" to central multi-programme transmitters which make it possible to make a selective choice of programmes. However, for a suitable versatility, these transmitters must be connected to a programme store of extremely great capacity, and the primary intention of the invention is that the programme capacity, for which there is an actual need in the individual household, can be stored to a wide extent in an ordinary commercial PC (Personal Computer), precisely because the need for versatility will be considerably reduced when the PC is programmed by the members of the household themselves.

It is worth mentioning that by means of a known signal compression technique, several hundred compact disks can be stored on an ordinary hard disk, i.e. an ordinary home computer will normally already be able to store pieces of music in ample numbers for the satisfaction of listening interests among all members of the household, and naturally there will still be the possibility of arranging the recording of new sequences from relevant sources of sound, also including from a radio or video receiver.

For the desirable selective choice of data or music sequences for the individual rooms, it is important that at the central unit or in the individual room it is possible to effect the necessary programming of the central unit for the codification of the recorded sequences. This can be carried out by means of the PC keyboard or by keyboards in the respective rooms. These keyboards can possibly be connected to the internal communication system in a cordless manner, e.g. by means of infrared technique.

To the central unit there can be connected all possible alternative sources of data, such as radio, telephone, telefax or even video sources, Internet and e-mail, so that there are rich possibilities for a selective transmission of signals to the individual rooms, merely providing that the

desired signal type can be clearly identified for transmission to the relevant room in the household, or respectively from such a room. The system can also be used as the connection base for computer networks and intercom.

5 The system will be able to be used with priority controls of various types, for example so that the selection of a telephone line made from a "senior room" while the line is engaged by a connection to or from a "junior room", will initiate the sending of a signal to junior to indicate that
10 he/she is requested to break the relevant connection within a few minutes, or that the line will be forcibly disconnected by such a signal. The signal can be sent via the telephone line and/or by separate signal transmission to the junior room.

15 As a second example, it can be mentioned that both junior and senior can have portable transmitter or transponder units which, in connection with a choice of music type or other programme selections, can automatically give rise to the correct selection when the person enters any given room,
20 though hereby on the condition that the given room is not already occupied by person having a higher priority regarding choice of programme. Correspondingly, this person, typically "senior", will be able to initiate a relevant changeover of the programme choice merely by his entry into a room in which
25 the system works with a programme type of lower priority, or simply a switching-off of this programme, regardless of whether the lower priority selection is a result of a permanent programme selection for the relevant room, typically a "junior room", or by the presence of a person with lower priority
30 in a "senior room" with higher priority, or in a more neutral room such as a kitchen in which work is normally carried out outside the normal hours of kitchen work. In the same way, other relevant influences can be initiated, e.g. a

reducing of the volume of the music in a junior room by the entry of a senior into the room.

The system can be provided with remote control units in the individual rooms, or in combination with said portable transmitter units carried by the members of the household. These units can effect two-way communication with the system network, e.g. via infrared-operated transmitter/receiver units in the individual rooms, and in accordance with the invention they can be combined with other relevant arrangements such as comprising a telephone handset, possibly with related telephone answering and recording equipment, and e.g. with a display to show the arrival of incoming e-mail. Controlled from the central unit, this can thus be selected for showing on the display or for speech reproduction in a loudspeaker, either in the remote control unit or in a permanent loudspeaker in the individual room.

With suitable transformation equipment, the system will be able to be arranged in such a manner that based on speech transmission or computer-programmed speech recognition, an e-mail will e.g. be able to be keyed-in or even entered orally for transmission via the central unit.

It will thus be seen that functionally, the remote control unit relevant for the invention can be a quite complicated unit. However, this will be able to be built up based on fully-known principles as far as the individual functions are concerned, including e.g. by comprising an internet browser which, however, will also be able to be placed in the central unit. Consequently, in principle there is no technological problem involved in configuring the remote control unit in the manner disclosed.

The invention is illustrated by way of example in the drawing, which schematically shows four adjoining rooms A,B,C and D. In room A there is placed a PC 2 and various items of audio/video equipment 4 which can be used for the

recording of selected sequences on the PC's hard disk, in that the PC's keyboard can be used for the cataloguing of the sequences or possibly merely the different types of these, all depending on the different requirements of the individual
5 persons in the household. The PC is connected by a communication line 6 to an external network, preferably an ISDN connection.

For communication, the PC 2 is connected via an internal bus connection 8 to the rooms B,C and D, which here
10 are assumed to be a senior living room, a senior workroom and a junior room respectively. Internal connections in the rooms are not shown. In each room there is a receiver/transmitter 10 for communication with a remote control unit 12 which belongs to the room, respectively to the main users of the
15 room. In the rooms there are also diverse transducers 14 for audio and/or video signals, and possibly a telephone installation and computers 16.

If necessary, the PC 2 is provided with several sound boards and extra RAM, possibly also with one or more
20 so-called ScSi drivers on the PC's PCI bus system, or other facilities which enable multi-channel operation with good capacity and quality.

By means of the remote controls 12, the users can select desired couplings or sequences for reproduction in the
25 respective rooms. As mentioned, the units 12 can be small terminals for the expedition of e-mail, and alternatively they can also comprise handsets in the telephone system.

If "senior" with his unit 12 enters the room D, the unit 10 can via the interface immediately register that there
30 is now a person with higher priority present in the room, so that the control system can hereby initiate a pre-programmed action such as the moderation of rock music which is too high. The system can work with many different forms of priority, e.g. so that the kitchen monitor has top priority for

coupling the Internet during a period of time in which it may be relevant to work with recipes fetched from the net.

It must be mentioned that the necessary cable connections in the system can expediently be established by use
5 of the so-called USB system (Universal Serial Bus), with USB transceivers connected in the individual rooms for two-way communication with operating and monitoring units herein, including displays and sound transducers. The system can work with analogue or digital signal transmission as required, and
10 use can possibly be made of wireless transmission or signal transmission via the mains power network.

C L A I M S

1. Entertainment and information system, primarily for use in individual households, comprising a central signal transmission unit for the emission of a source signal, e.g. in the form of music sequences, which by use of suitable monitors such as loudspeakers in the individual rooms can be reproduced in these in an individually-controllable manner, characterized in that the central signal transmission unit comprises a multi-signal emitting unit such as a more-or-less ordinary PC, which is programmed for the possible emission of a number of different signal sequences which can be called for in a selective manner, and that in the individual rooms there are placed operating means which make it possible for each of these sequences or parts thereof to be called for in said selective manner.

2. System according to claim 1, characterized in that receivers are placed in the individual rooms for the detection of the selective calling signals from respective remote control units, which preferably also comprise telephone handsets and possibly stations for the expedition of e-mail.

3. System according to claim 1, characterized in that the central signal transmission unit is connected to other and momentary-operating signal sources such as radio, telephone or video channels, with the possibility of calling these signals selectively for reproduction in the individual rooms.

4. System according to claim 1, characterized in that it is provided with a control unit which determines priorities with regard to calls to or calls from the individual rooms, all depending on the kind of calls in or out or other predetermined criteria.

5. System according to claim 4, c h a r a c t e r i -
z e d in that it comprises portable transmission units
which, when influenced from receivers placed in the rooms,
determine a higher or lower priority for transmission of pre-
5 determined types of signals to a monitor in that room in
which the relevant person is present.

6. System according to claim 1, c h a r a c t e r i -
z e d in that it is based on the USB system for establishing
the relevant two-way communication.

1/1




Fig.1

INTERNATIONAL SEARCH REPORT

International application No.

PCT/DK 99/00328

A. CLASSIFICATION OF SUBJECT MATTER

IPC6: G06F 17/60

According to International Patent Classification (IPC) or to both national classification and IPC

B. FIELDS SEARCHED

Minimum documentation searched (classification system followed by classification symbols)

IPC6: G06F

Documentation searched other than minimum documentation to the extent that such documents are included in the fields searched

SE,DK,FI,NO classes as above

Electronic data base consulted during the international search (name of data base and, where practicable, search terms used)

C. DOCUMENTS CONSIDERED TO BE RELEVANT

Category*	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
X	WO 9736391 A1 (GATEWAY 2000, INC.), 2 October 1997 (02.10.97), page 3, line 13 - page 4, line 5	1-3,6
A	--	4-5
X	US 5497502 A (JEAN-PAUL G. CASTILLE), 5 March 1996 (05.03.96), column 1, line 51 - column 2, line 11	1,3,6
Y	--	2
A	--	4-5

☒ Further documents are listed in the continuation of Box C.☒ See patent family annex.

* Special categories of cited documents:

"A" document defining the general state of the art which is not considered to be of particular relevance

"B" earlier document but published on or after the international filing date

"I" document which may throw doubts on priority claim(s) or which is cited to establish the publication date of another citation or other special reason (as specified)

"O" document referring to an oral disclosure, use, exhibition or other means

"P" document published prior to the international filing date but later than the priority date claimed

"I" later document published after the international filing date or priority date and not in conflict with the application but cited to understand the principle or theory underlying the invention

"X" document of particular relevance: the claimed invention cannot be considered novel or cannot be considered to involve an inventive step when the document is taken alone

"Y" document of particular relevance: the claimed invention cannot be considered to involve an inventive step when the document is combined with one or more other such documents, such combination being obvious to a person skilled in the art

"&" document member of the same patent family

Date of the actual completion of the international search

9 November 1999

Date of mailing of the international search report

18-11-1999

Name and mailing address of the ISA/

Swedish Patent Office

Box 5055, S-102 42 STOCKHOLM

Facsimile No. +46 8 666 02 86

Authorized officer

Stefan Hermanson/MN

Telephone No. +46 8 782 25 00

INTERNATIONAL SEARCH REPORT

International application No.

PCT/DK 99/00328

C (Continuation). DOCUMENTS CONSIDERED TO BE RELEVANT

Category*	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
Y	GB 2166328 A (INTERNATIONAL STANDARD ELECTRIC CORPORATION), 30 April 1986 (30.04.86), page 1, line 60 - line 77; page 2, line 42 - line 58	2
A	--	1,3-6
A	US 5418713 A (RICHARD ALLEN), 23 May 1995 (23.05.95), page 3, line 16 - page 6, line 21	1-6
A	--	
A	WO 9613135 A1 (IES TECHNOLOGIES, INC.), 2 May 1996 (02.05.96), column 3, line 28 - column 4, line 58	1-6
A	--	
A	US 4788675 A (MARKLEY L. JONES ET AL), 29 November 1988 (29.11.88), column 1, line 54 - column 3, line 55	1-6
	-- -----	

INTERNATIONAL SEARCH REPORT

Information on patent family members

28/09/99

International application No.

PCT/DK 99/00328

Patent document cited in search report	Publication date	Patent family member(s)	Publication date
WO 9736391 A1	02/10/97	AU 2332397 A CA 2250189 A EP 0890232 A US 5838384 A US 5867223 A	17/10/97 02/10/97 13/01/99 17/11/98 02/02/99
US 5497502 A	05/03/96	US 5734961 A AU 5741690 A CA 2058439 A DE 69007618 D,T DK 474717 T EP 0474717 A,B ES 2051017 T FR 2648299 A,B IE 64187 B JP 5500740 T MC 2191 A WO 9015497 A	31/03/98 07/01/91 08/12/90 22/09/94 18/07/94 18/03/92 01/06/94 14/12/90 12/07/95 12/02/93 16/09/92 13/12/90
GB 2166328 A	30/04/86	DE 3439399 A	30/04/86
US 5418713 A	23/05/95	AU 7519994 A CA 2192814 A EP 0716795 A US 5794217 A WO 9505050 A	28/02/95 16/02/95 19/06/96 11/08/98 16/02/95
WO 9613135 A1	02/05/96	AU 4006995 A US 5815086 A	15/05/96 29/09/98
US 4788675 A	29/11/88	AT 59252 T CA 1227865 A EP 0140593 A,B JP 60157348 A	15/01/91 06/10/87 08/05/85 17/08/85